



INFORMATION BULLETIN N° 377

January 2006

ASM GRAPH/ASM GRAPH D NEW GRAPHIC COLOR INTERFACE OPERATOR




Eric LECHEMIA
Helium Leak Detection Product Manager




INTRODUCTION

You probably recognize these monochrome displays...



... and you thought, it would be nice if we could offer something like that...

The bad news is that we have nothing like that, the good news is that, **we have better...much better...to offer :**



Technical information

The Adixen touch screen graphic color display not only provides a colorful screen and graphs, it also offers unique features like :

- Dynamic vacuum internal lay out
- Recording data (up to 900 hours)
- Zoom function
- Measurement function
- ASM Downloader software
- Screen copy
- Download of memorized signals

2 modes of operation :

<i>Basic mode</i>	<i>Advanced mode</i>
<ul style="list-style-type: none">- Standard menus- Dynamic helium signal curve- Dynamic pressure signal curve- Dynamic internal vacuum lay out	<ul style="list-style-type: none">- Standard menus- Dynamic helium signal curve- Dynamic pressure signal curve- Recording mode (up to 900 hours)- Zoom function- Measurement function- ASM Downloader software- Screen copy- Download of memorized signals (*)

(*) ASM Downloader software is available on the Adixen Website (free of charge) :
www.adixen.com/ressources/tools

Ordering Information

The Adixen touch screen graphic color display can be ordered in two different ways :

- Installed on the following leak detectors :
 - ✓ **ASM Graph** and **ASM Graph D** (ASM 142 conventional or dry version **with new plastic cover** as standard equipment)
 - ✓ **ASM 182 TD+** and **ASM 182 T** as an option.

When the leak detector is ordered with the touch screen graphic color display, it comes with the ASM Downloader software cable (free of charge).

- As an accessory on the existing units (ASM 142/142 D and ASM 182 T/TD+)

To operate, the touch screen graphic color display requires the software eeprom version \geq V3.0r01 (the software eeprom is located on the P0302E6 board).

As off the following serial numbers, all the leak detectors are equipped with the right eprom version.

ASM 142	s/n HLD41407	ASM 182 T	s/n HLD70078
ASM 142 D	s/n HLD45055	ASM 182 TD+	s/n HLD60225


If the leak detector to be equipped with the new graphic color display is older, the new software eprom has to be ordered separately.

When the Adixen touch screen graphic color display is ordered as a retrofit part, the ASM downloader software cable has to be ordered separately.

Note : If the user is not interested in downloading data via his/her computer but is only interested in using the visual features of the Touch screen graphic color display, the ASM Downloader software and the cable are then not necessary.


New

ASM GRAPH and ASM GRAPH D



New plastic cover !

ASM 182 T



ASM 182 TD+

							0
Detector							
	ASM 182 TD+ without trolley	ASM 182 TD+ with trolley					
Code	D1	D7					
Masses							
	Helium	3 masses					
Code	0	3					
Seals for the vacuum module and analyzer cell							
	Elastomer	Metal					
Code	R	M					
Operator interface							
	Standard	Touch screen					
Code	S	T					
Detection option							
	Standard	With gas line					
Code	S	G					
Test chamber							
	Without	Small model	Medium model	Large model			
Code	0	1	2	3			
Cover							
	Painted	UCT					
Code	P	C					
Language							
	French	English	German	Japanese			
Code	A	B	C	E			
Main power supply							
	110/130 V - 50/60 Hz	220/240 V - 50/60 Hz					
Code	7	8					
Main power plug							
	USA / Japan	France / Germany	U.K.	Italy	Switzerland	Without plug	
Code	1	2	3	4	5	7	

New

Price list

ASM GRAPH et ASM GRAPH D

	Euros	US\$	JPY
ASM GRAPH (basic version)	21.130	22,010	2.260.000
ASM GRAPH D (basic version)	24.820	26,000	3.146.000

ASM 182 T et ASM 182 TD+

	Euros	US\$	JPY
Touch screen graphic color display option	1.250	1,250	169.000

ACCESSORY

	Part number	Euros	US\$	JPY
Touch screen graphic color display	111716	1.500	1,600	202.500
Cable	A461946	206	258	27.800

Price list

The following documentation is available :

- PowerPoint presentation (on request)
- Flyer p/n : 791566 (English) (downloaded on the www.adixen.com site).